# Техничко Упатство за инсталација на JAVA runtime околина и драјвери



## СОДРЖИНА:

1. Технички Предуслови — — — — — — — — — — — — — — — — — — —	. 3
2. Конфигурација на JAVA runtime околина	. 3
2.1. Инсталација на JAVA runtime околина	. 3
2.2. Ресетирање на JAVA runtime околина (опционо)	. 6
2.3. Надградба на последната верзија на JAVA ———————	. 11
3. Инсталација на драјвери за токен	. 12
4. Нагодување на Internet Explorer ————————————	_ 16
5. Стартување на апликацијата за електронско банкарство за	
корпоративни клиенти	. 19

## 1. Технички Предуслови

За користење на услугата електронско банкарство за корпоративни клиенти на Капитал Банка неопходно е да располагате со:

- Работна станица со најмалку Windows 7 оперативен систем;
- Интернет конекција;
- Интернет прелистувач со поддршка на JAVA (се препорачува Internet Explorer);
- Инсталирана JAVA runtime околина (се препорачува работа со последната верзија);
- Хардверски токен со квалификуван дигитален сертификат од КИБС;
- Соодветни драјвери за работа на хардверскиот токен.

### 2. Конфигурација на JAVA runtime околина

#### 2.1.Инсталација на JAVA runtime околина

Заради поголема сигурност, секогаш се препорачува работа со последната верзија на JAVA runtime околината. Истата можете да ја превземете од официјалната веб страна преку следниот линк:

https://java.com/en/download/

За инсталација на превземениот инсталационен фајл, потребна е активна интернет конекција, а инсталацијата се реализира на следниот начин:

1.На првиот прозорец кој се отвара се притиска на копчето "Install":

	Welcon	n <mark>e to Java</mark>	
Java provide solutions to he	es access to a world Ipful utilities and enter experience	of amazing conten tertainment, Java m e come to life.	t. From business Jakes your Internet
Note: No perso <u>Click I</u>	onal information is g <u>tere</u> for more inform	athered as part of nation on what we	our install process. do collect.
Click Install	to accept the licens	e agreement and in	stall Java now.

2. На наредниот прозорец се чека да заврши превземањето на инсталационите фајлови:

Downloading Installer	Estimated time left: 7 sec
_	
Java is found everywhere - on r	mobile phones, desktop computers, Blu-ray
Disc players, set to	p boxes, and even in your car.
By installing Java, you will be able y	e to experience the power of Java, brought to ou by Oracle.

3. На наредниот прозорец се чека да заврши автоматиозираниот инсталационен процес:



4. На наредниот и последен прозорец се притиска на копчето **"Close"** со што се завршува инсталацијата:



#### 2.2. Ресетирање на JAVA runtime околина (опционо)

Во случај на проблем со најавата на апликацијата за електронско банкарство за корпоративни клиенти може да се јави потреба да се изврши ресетирање на JAVA runtime околина. Тоа може да се направи на следниот начин:

All control Parlet iterns		>
$\rightarrow$ $\checkmark$ $\bigstar$ Control Panel $\Rightarrow$ A	All Control Panel Items	✓ ♂ Search Control Panel ,
Adjust your computer's settings		View by: Small icons 🔻
🗄 Administrative Tools	🛃 AutoPlay	🐌 Backup and Restore (Windows 7)
BitLocker Drive Encryption	💶 Color Management	Credential Manager
P Date and Time	Contract Default Programs	📇 Device Manager
Devices and Printers	Sase of Access Center	File Explorer Options
🔗 File History	✓ Flash Player (32-bit)	A Fonts
B HD Audio Manager	• HomeGroup	🔑 Indexing Options
Infrared	🔁 Intel(R) Rapid Storage Technology	Intel® Graphics Settings
nternet Options	الله المعاد ا	Expoard Expoard
字 Language	Mail (Microsoft Outlook 2016) (32-bit)	Mouse
Network and Sharing Center	Phone and Modem	Power Options
Programs and Features	Recovery	Begion
RemoteApp and Desktop Connections	Security and Maintenance	Sound
Speech Recognition	Storage Spaces	Sync Center
System	Taskbar and Navigation	Troubleshooting
User Accounts	Windows Defender Firewall	Sector Se
Work Folders		

1. Од "Control Panel" се пристапува на Java (32-bit):

2. Во прозорецот што ќе се отвори, во делот **"Temporary Internet Files"** се притиска на копчето **"Settings…"**:

About About Aiework Settings Vetwork Settings Vetwork settings are used when making Internet connections. By default, Java vettings in your web browser. Only advanced users should modify these setting "emporary Internet Files Tiles you use in Java applications are stored in a special folder for quick execute advanced users should delete files or modify these settings. Settings Iava in the browser is enabled. See the Security tab OK	will use js. on later	About e the network Settings •. Only View
About //ew version information about Java Control Panel. Network Settings //etwork settings are used when making Internet connections. By default, Java //etings in your web browser. Only advanced users should modify these setting //emporary Internet Files iles you use in Java applications are stored in a special folder for quick execute advanced users should delete files or modify these settings. Iava in the browser is enabled. See the Security tab OK	will use js. etwork	About e the network Settings Conly <u>Vi</u> ew
//ew version information about Java Control Panel. Vetwork Settings Vetwork settings are used when making Internet connections. By default, Java isettings in your web browser. Only advanced users should modify these setting if emporary Internet Files ifles you use in Java applications are stored in a special folder for quick execut advanced users should delete files or modify these settings. Iava in the browser is enabled. See the Security tab OK	will use js. etwork	About e the network Settings •. Only <u>V</u> iew
Vetwork Settings Vetwork Settings Vetwork settings are used when making Internet connections. By default, Java settings in your web browser. Only advanced users should modify these setting  remporary Internet Files  iles you use in Java applications are stored in a special folder for quick execut dvanced users should delete files or modify these settings.  Settings  Set the Security tab  OK	will use gs. on later	About e the network Settings •. Only <u>Vi</u> ew
Network Settings Vetwork settings are used when making Internet connections. By default, Java Settings in your web browser. Only advanced users should modify these setting  Temporary Internet Files  Temporary Internet Files  Temporary in Java applications are stored in a special folder for quick execute advanced users should delete files or modify these settings.  Settings.  Lava in the browser is enabled.  See the Security tab  OK	will use js. etwork	About e the network Settings Only <u>View</u>
Vetwork Settings         Vetwork settings are used when making Internet connections. By default, Java settings in your web browser. Only advanced users should modify these setting.         Image: Temporary Internet Files         Files you use in Java applications are stored in a special folder for quick executed advanced users should delete files or modify these settings.         Iava in the browser is enabled.         See the Security tab	will use js. on later	e the network Settings . Only <u>V</u> iew
Network settings are used when making Internet connections. By default, Java settings in your web browser. Only advanced users should modify these setting fremporary Internet Files files you use in Java applications are stored in a special folder for quick execut advanced users should delete files or modify these settings. Settings Iava in the browser is enabled. See the Security tab	will use gs. etwork	e the network Settings Only <u>Vi</u> ew
settings in your web browser. Only advanced users should modify these setting.         Image: Temporary Internet Files         siles you use in Java applications are stored in a special folder for quick executed advanced users should delete files or modify these settings.         Image: Settings are stored in a special folder for quick executed advanced users should delete files or modify these settings.         Image: Settings are stored in a special folder for quick executed advanced users should delete files or modify these settings.         Image: Settings are stored in a special folder for quick executed advanced users should delete files or modify these settings.         Image: Settings are stored in a special folder for quick executed advanced users should delete files or modify these settings.         Image: Settings are stored in a special folder for quick executed advanced users should delete files or modify these settings.         Image: Settings are stored in a special folder for quick executed advanced users should delete files or modify these settings.         Image: Settings are stored in the browser is enabled.         Image: Settings are stored and advanced users a	is. etwork on later	Settings
Temporary Internet Files Files you use in Java applications are stored in a special folder for quick execut advanced users should delete files or modify these settings. Settings Iava in the browser is enabled. See the Security tab	etwork on later	Settings
Femporary Internet Files         Files you use in Java applications are stored in a special folder for quick execut         advanced users should delete files or modify these settings.         Settings         Iava in the browser is enabled.         See the Security tab         OK	on later	•. Only <u>V</u> iew
Files you use in Java applications are stored in a special folder for quick execut advanced users should delete files or modify these settings.         Settings         Iava in the browser is enabled.         See the Security tab         OK	on later	. Only <u>V</u> iew
Intersyou use in Java applications are stored in a special rolder for quick execute         advanced users should delete files or modify these settings.         Java in the browser is enabled.         See the Security tab             OK		<u>V</u> iew
See the Security tab		<u>V</u> iew
Dava in the browser is enabled. See the Security tab		
Java in the browser is enabled. See the Security tab		
See the Security tab		
OK		
ОК		
ОК		
OK		
ОК		
ОК		
ОК		
OK		
ОК		
	Cance	Apply
	Carrice	ייייים

3. На наредниот прозорец се притиска на копчето "Delete Files...":

inporary rifes sectings	
Keep temporary files on my computer.	
Location	
Select the location where temporary files are	kept:
administrator\AppData\LocalLow\Sun\Java\D	eployment\cache Change
Disk Space	
Select the compression level for JAR files:	None 🗸
Set the amount of disk space for storing temp	orary files:
	32768 <b>↓</b> MB
Delete	Files <u>R</u> estore Defaults

4. На наредниот прозорец се селектираат сите понудени опции и се пристиска на копчето **"ОК"**:

Delete Files and Applications	×
Delete the following files?	
Trace and Log Files	
Cached Applications and App	plets
Installed Applications and Applications	oplets
OK Can	cel

5. Од Tools (Alt-X) менито во Internet Explorer се избира опцијата "Internet Options":

<del>،</del> م	🟠 🛠 🇱
Print	>
File	>
Zoom (100%)	>
Safety	>
Add site to Apps	
View downloads	Ctrl+J
Manage add-ons	
F12 Developer Tools	
Go to pinned sites	
Compatibility View settings	
Internet options	
About Internet Explorer	

6. Во новоотворениот прозорец (tab General) се притиска на копчето "Delete":

General Security Privacy Content Connections Programs Advanced
Home page
To create home page tabs, type each address on its own line.
about:blank
✓
Use <u>current</u> Use de <u>r</u> auit <u>U</u> se new tab
Startup
O Start with tabs from the last session
Start with <u>h</u> ome page
Tabs
Change how webpages are displayed in tabs. Tabs
Browsing history
Dalate temporary files history cookies saved passwords and web
form information.
Delete browsing history on exit
<u>Delete</u>
Appearance
Colors Languages Fonts Accessibility
OK Cancel Apply

7. Во новоотворениот прозорец се селектираат следните опции и се притиска на копчето **"Delete"**:

X **Delete Browsing History** Preserve Favorites website data Keep cookies and temporary Internet files that enable your favorite websites to retain preferences and display faster. <u>Temporary Internet files and website files</u> Copies of webpages, images, and media that are saved for faster viewing. Cookies and website data Files or databases stored on your computer by websites to save preferences or improve website performance. History List of websites you have visited. Download History List of files you have downloaded. Form data Saved information that you have typed into forms. Passwords Saved passwords that are automatically filled in when you sign in to a website you've previously visited. Tracking Protection, ActiveX Filtering and Do Not Track A list of websites excluded from filtering, data used by Tracking Protection to detect where sites might automatically be sharing details about your visit, and exceptions to Do Not Track requests. About deleting browsing history Delete Cancel

#### 2.3. Надградба на последната верзија на JAVA

Заради поголема сигурност, секогаш се препорачува работа со последната верзија на JAVA runtime околината. Доколку JAVA runtime околината веќе е инсталирана, истата може да се надгради на последната верзија преку Update tab од Java Control Panel преку притискање на копчето **"Update Now"**:

Conservation	Undate	1	Constitut	Advented						
General	opuate	Java	Security	Advanced						
	The J	ava Up orm. The	date mech e options b	anism ensure below let you	es you have control how	the mos	t updated s are obtai	version of ned and a	f the Java applied.	a
_	Notif	fy Me:			Before do	ownloadir	ng			~
		Check fo	or Update:	s Automatica	ly			Ag	lvanced.	
	Every recon curso updat	r Tuesd imende r over t te is do	ay at 9:00 d, an icon the icon to wnloaded.	PM, Java Up will appear ir see the stat	idate will ch i the system us of the up	eck for u n taskbar odate.Yo	pdates. If notificatio u will be no	an updat n area. M tified befi	e is love the ore the	
							OK	L	pdate No	ow
							OK	L	pdate No	ow
							OK	Cancel	pdate No	Apply
							OK	Cancel	pdate No	Apply
							OK	Cancel	pdate No	Apply
							OK	Cancel	pdate No	Apply

## 3. Инсталација на драјвери за токен

Апликацијата за електронско банкарство на Капитал Банка за корпоративни клиенти работи исклучиво со квалификувани сертификати на токен издадени од издавачот на сертификати КИБС. За нивна правлина работа потребно да се инсталираат соодветни драјвери, а тоа може да се направи на следниот начин:

1.Драјверите може да се превземат од следниот интернет линк: https://www.kibstrust.mk/mk-MK/Home/Support/PomosMK.aspx

Линковите до драјверите се наоѓаат во делот означен со PKCS#11 Библиотеки за Gemalto ID Prime (.NET и MD) PKI токени од веб страната што ќе се отвори:



Во моментот на изработка на ова упатство линковите за превземање на драјверите биле следните:

https://www.kibstrust.mk/Storage/Support/Software/IDGo800\_PKCS11\_Library\_x86.msi https://www.kibstrust.mk/Storage/Support/Software/IDGo800\_PKCS11\_Library\_x64.msi

Од овие линкови во зависност од верзијата на Windows оперативниот систем се превзема или 32-битна или 64-битна верзија на драјверите.

2. Се стартува инсталацијата на драјверите со извршување на превземениот фајл, а на првиот прозорец што ќе се отвори се притиска копчето **"Next"**:



3. На следниот прозорец што ќе се отвори се избира опцијата **"I accept the terms in the license agreement"** и се притиска копчето **'Next"**:

License Agreement		gema
Please read the following lie	icense agreement carefully.	security
END	USER LICENSE AGREEMENT	
the subsidiary or affiliate or version of the Software (as "You" are a person or legal governs your use of all of t "Software" means all comp materials and any accompa to you hereunder. By down	f Gemalto NV. ("Gemalto") that distribut s defined below) under this EULA ("Gen l entity wishing to use the Software. The the Software distributed or delivered he buter software, associated media, any pr anying "online" or electronic information mloading, installing, copying, breaking a	ted this nalto"). nis EULA reunder. inted n provided any seal on,
the subsidiary or affiliate or version of the Software (as "You" are a person or legal governs your use of all of t "Software" means all comp materials and any accompa to you hereunder. By down	f Gemalto NV. ("Gemalto") that distribut s defined below) under this EULA ("Gen l entity wishing to use the Software. The the Software distributed or delivered he outer software, associated media, any pr mying "online" or electronic information nloading, installing, copying, breaking is mense agreement	ted this nalto"). his EULA reunder. h provided any seal on, Print
the subsidiary or affiliate or version of the Software (as "You" are a person or legal governs your use of all of t "Software" means all comp materials and any accompa to you hereunder. By down I accept the terms in the lice I do not accept the terms in InstallShield	f Gemalto NV. ("Gemalto") that distribut s defined below) under this EULA ("Gen l entity wishing to use the Software. The the Software distributed or delivered he outer software, associated media, any pr mying "online" or electronic information nloading, installing, copying, breaking a mense agreement in the license agreement	ted this nalto"). his EULA reunder. hinted n provided any seal on, Print

4. На следниот прозорец што ќе се отвори се притиска копчето "Next":

Destinat Click Ne	<b>ion Folder</b> xt to install to this folder, or click Change to install to a different folder.	gemalto
Ø	Install IDGo 800 PKCS#11 libraries v1.2.8 64-bit to: C:\Program Files (x86)\Gemalto\IDGo 800 PKCS#11\	Change
InstallShield		

5. На следниот прозорец што ќе се отвори се притиска копчето "Next":

Multi-PIN	configuration	gemalto
	Do you want to support multi-PIN?	
	⊖ Yes	
	() No	
TestallChield		
Instalishield	and Marks	Cancel

6. На следниот прозорец што ќе се отвори се притиска копчето "Install":

Ready to Install the Program		gemalto
The wizard is ready to begin installation	ı.	security to be ne
Click Install to begin the installation.		
If you want to review or change any o exit the wizard.	f your installation settings, dick Bac	k. Click Cancel to

7. На следниот прозорец што ќе се отвори се притиска копчето **"Finish"** со што се завршува инсталацијата на драјверите:



## 4.Нагодување на Internet Explorer

За работа со апликацијата за електронско банкарство на Капитал Банка за корпоративни клиенти препорачано е да се користи прелистувачот Internet Explorer при што е потребно да се направат некои нагодувања. Тоа се прави на следниот начин:

1. Од Tools (Alt-X) менито во Internet Explorer се избира опцијата "Internet Options":

÷ď	i い ン 🎌
Print	>
File	>
Zoom (100%)	>
Safety	>
Add site to Apps	
View downloads	Ctrl+J
Manage add-ons	
F12 Developer Tools	
Go to pinned sites	
Compatibility View settings	
Internet options	
About Internet Explorer	

2. Во прозорецот што ќе се отвори се избира tab Security, се селектира зоната **"Trusted Sites"** и се притиска на копчето **Sites**:

General       Security       Privacy       Content       Connections       Programs       Advanced         Select a zone to view or change security settings.       Image: Content	? ×	Internet Options	
Select a zone to view or change security settings. Internet Local intranet Local intranet Restricted sites Tusted sites Tuste	nections Programs Advanced	General Security Privacy Content Co	
Internet Local intranet   Tusted sites     Internet     Lusted sites     Sites     Sites     Security level for this zone     Custom   Security level for this zone     Lustom settings.     • To change the settings, click Custom level.     • To use the recommended settings, click Default level.     • Custom     • Custom level     • Default level     • Reset all zones to default level	etings.	Select a zone to view or change security s	
Fusted sites       Sites         This zone contains websites that you trust not to damage your computer or your files.       You have websites in this zone.         You have websites in this zone.       Security level for this zone.         Security level for this zone       Custom         Custom       Custom settings.         • To change the settings, click Custom level.       • To change the settings, click Default level.         • To use the recommended settings, click Default level.       • Default level.         • Enable Protected Mode (requires restarting Internet Explorer)       • Qustom level         • Reset all zones to default level       • Reset all zones to default level	es Restricted sites	Internet Local intranet Trusted	
Security level for this zone	/ou <u>Sites</u> ar or	Trusted sites This zone contains websites that trust not to damage your compu your files. You have websites in this zone.	
Custom       Custom settings.         Custom settings, click Custom level.       To change the settings, click Custom level.         To use the recommended settings, click Default level.         Enable Protected Mode (requires restarting Internet Explorer)         Qustom level       Default level         Reset all zones to default level		Security level for this zone	
Enable Protected Mode (requires restarting Internet Explorer)	ick Custom level. settings, click Default level.	Custom Custom settings. - To change the settings, - To use the recommended	
Reset all zones to default level	estarting Internet Explorer)	Enable Protected Mode (requires	
	et all zones to default level	Re	
OK Cancel Apply	Cancel <u>Apply</u>	ОК	

3. Во прозорецот што ќе се отвори во полето **"Add this website to the zone:"** се внесува интернет адресата: https://ebank.capitalbank.com.mk и се притиска на копчето Add, а потоа се притиска на копчето **"Close"**:

this zone will use the zone's	ebsites from this zone. All website: s security settings.
Add this website to the zone:	nk/ Add
Websites:	
	^ <u>R</u> emove
	¥

4. Во прозорецот Internet Options во tab Security за зоната **"Trusted Sites"** се притиска на копчето **"Custom level..."**:

General Security Privacy Content Connections Programs Advanced
Select a zone to view or change security settings.
Internet Local intranet Trusted sites Restricted sites
Trusted sites This zone contains websites that you trust not to damage your computer or your files. You have websites in this zone.
Security level for this zone
Custom Custom settings. - To change the settings, click Custom level. - To use the recommended settings, click Default level.
Enable Protected Mode (requires restarting Internet Explorer) <u>Custom level</u> Default level
Reset all zones to default level
OK Cancel Apply

5. Во прозорецот што ќе се отвори кај опцијата **"Initizalize and script ActiveX controls not marked as safe for scripting"** се избира **"Enable"**, па се пристиска на копчето **"OK"**:

Enable     Prompt     Download unsigned ActiveX controls     Disable     Prompt     Initialise and script ActiveX controls not marked as safe for s     Disable     Prompt     Prompt     Disable     Prompt     Disable     Prompt     Disable     Prompt     Disable     Prompt     Disable     Prompt     Disable     Di	Settings		
Orwinoad unsigned ActiveX controls   Disable   Enable   Prompt   Initialise and script ActiveX controls not marked as safe for s   Disable   Enable   Prompt   Ohly allow approved domains to use ActiveX without prompt   Disable   Enable   Run ActiveX controls and plug-ins   Administrator approved   nicrable   Nicrable   Reset custom settings   Reset to:   Medium (default)   Reset   OK		Enable	
Download unsigned Activex controls         Disable         Enable         Prompt         Disable         Enable         Prompt         Disable         Enable         Prompt         Disable         Prompt         Only allow approved domains to use ActiveX without prompt         Disable         Enable         Prompt         Oisable         Enable         Prompt         Disable         Enable         Prompt         Disable         Enable         Prompt         Disable         Enable         Run ActiveX controls and plug-ins         Administrator approved         NiceNea         * Takes effect after you've restarted your computer         Reset to:       Medium (default)         OK       Cancel		) Prompt	
Enable          Prompt         Initialise and script ActiveX controls not marked as safe for s         Disable         Prompt         © Enable         Prompt         © Enable         Prompt         © Enable         Reset custom settings         Reset to:         Medium (default)         OK		Download unsigned Activex controls	
Prompt Thitialise and script ActiveX controls not marked as safe for s Disable Prompt Only allow approved domains to use ActiveX without prompt Disable Enable Run ActiveX controls and plug-ins Administrator approved Nie able Reset custom settings Reset to: Medium (default) CK Cancel			
Tritialise and script ActiveX controls not marked as safe for s Disable Enable Orly allow approved domains to use ActiveX without prompt Olisable Enable Run ActiveX controls and plug-ins Administrator approved riceble * Takes effect after you've restarted your computer Reset custom settings Reset to: Medium (default) OK Cancel			
Disable Enable Prompt Only allow approved domains to use ActiveX without prompt Disable Enable Run ActiveX controls and plug-ins Administrator approved Takes effect after you've restarted your computer Reset custom settings Reset to: Medium (default) Reset to: Medium (default) OK Cancel	II S	initialise and script ActiveX controls not marked as safe for su	
Enable Prompt Only allow approved domains to use ActiveX without prompt Disable Enable Run ActiveX controls and plug-ins Administrator approved rice-ble * Takes effect after you've restarted your computer Reset custom settings Reset to: Medium (default) Reset to: Medium (default) OK Cancel			
Prompt  Only allow approved domains to use ActiveX without prompt  Disable  Enable  Run ActiveX controls and plug-ins  Administrator approved  Takes effect after you've restarted your computer  Reset custom settings  Reset to: Medium (default)  OK Cancel		Enable	
Only allow approved domains to use ActiveX without prompt Disable Trable Run ActiveX controls and plug-ins Administrator approved Disable Takes effect after you've restarted your computer Reset custom settings Reset to: Medium (default) OK Cancel		) Prompt	
Cancel	<b>i</b> C	Only allow approved domains to use ActiveX without prompt	
Chable     Run ActiveX controls and plug-ins     Administrator approved     Ticable     Ticable     Reset custom settings     Reset to: Medium (default)     OK Cancel		Disable	
Run ActiveX controls and plug-ins         Administrator approved         Nicable         * Takes effect after you've restarted your computer         Reset custom settings         Reset to:       Medium (default)         OK       Cancel		Enable	
Administrator approved     Nicabla     Takes effect after you've restarted your computer     Reset custom settings     Reset to: Medium (default)     OK Cancel	R	Run ActiveX controls and plug-ins	
* Takes effect after you've restarted your computer   Reset custom settings   Reset to:   Medium (default)     OK     Cancel			
* Takes effect after you've restarted your computer Reset custom settings Reset to: Medium (default) OK Cancel	<	>	
Reset custom settings Reset to: Medium (default) OK Cancel	* Takes efi	fect after you've restarted your computer	
Reset to: Medium (default) OK Cancel	Reset custo	om settings	
	<u>R</u> eset to:	Medium (default) V Reset	
OK Cancel			
OK Cancel			
		OK Cancel	
	_		

6. Стартување на апликацијата за електронско банкарство за корпоративни клиенти.

За пристап до апликацијата за електронско банкарство на Капитал Банка за корпоративни клиенти потребно е да ја отворите адресата https://ebank.capitalbank. com.mk/corporate.

При првото пристапување на оваа адреса ќе се отвори следнииот прозорец:

	Name:	CorporateSecurity
Ser les	Publisher:	SAGA DOO BEOGRAD
	Location:	https://ebank2.capitalbank.com.mk
nformation at ri	sk. Run this applicat	tion only if you trust the location and publisher above.

Kaj овој прозорец се избира опцијата **"Do not show this again for apps from the publisher and location above"**, па се притиска на копчето **"Run"**.

Потоа се отвора прозорецот за внес на PIN од квалификуваниот сертификат со кој корисникот сака да се најави на апликацијата за електронско банкарство:

Изборото ни	Taur	Comalto USD SmartCard Poador 0	
изоерете чи	144.	Gemailo 03B Sinaricaru Reader 0	
Внесете PIN:		•••••	

По успешен внес на PIN за соодветниот квалификуван сертификат, на корисникот му се овозможува пристап до апликацијата за електронско банкарство на Капитал Банка за корпоративни клиенти.